

Secret fof for Family



Dealer

(Since 1984) Sharp® FLOUR MILL

Mfg. By: Pareskh Enterprise

Unit 1: Bhavnagar (Gujarat) | Unit 2: Rajkot (Gujarat)

Mkt. By: M/s. Parth Sales

6 - Royal Garden, Carter Road No. 2, Borivali (East) Mumbai - 400 066.

E: sharp_flourmill@yahoo.co.in | W: www.sharpflourmill.in

Customer Care No.: 84240 70075, 84240 70072

Our Australia Branch: Yona Imports (ABN 67 600 413 349)

Melbourne VIC 3978 Australia

E:yonaimports@gmail.com | M:+61 469859431

Follow us on:













Next Generation of Atta Chaki



Grinding **FRESH**, Serving **HEALTHY!**











- Aluminium Chamber with **Euro Cutter**
- ISI German Technology Motor 1HP
- ISI Certified Hard MDF Ply
- Fully Automatic, Child Safety Lock
- S.S 6 Beater
- Mirror Finished Front & Top Door
- Sensor Technology Auto Clean System
- Work Efficiently Even At 180 Voltage
- S.S Hopper Platform & Side Steel
- Double Action Auto Cleaning System
- Indoor LED Light
- Air Cooled Filter System
- Heavy Duty Laser Cut Jali























- Aluminium Chamber with Euro Cutter
- ISI German Technology 1HP Motor
- ISI Certified Hard MDF Ply
- Fully Automatic, Child Safety Lock
- S.S 4 Beater
- Air Cooled Filter System
- Mirror Finished Front Door
- S.S Hopper Platform & Side Steel
- Sensor Technology, Indoor LED Light
- Work Efficiently even at 180 Voltage
- Double Action Auto clean System
- Air Cooled Filter System



































- Aluminium Chamber with **Diamond Cutter**
- ISI German Technology 1HP Motor
- ISI Certified Hard MDF Ply
- Fully Automatic, Child Safety Lock
- S.S 4 Beater
- Mirror Finished Front Door
- Sensor technology
- Work Efficiently even at 180 Voltage
- S.S Hopper Platform & Side Steel
- Double Action Auto clean System
- Indoor LED Light
- Heavy Duty SS Jali Set
- Sliding System






















DIAMOND



EVERGREEN







- Aluminium Chamber with **Euro Cutter**
- ISI German Technology 1HP Motor
- ISI Certified Hard MDF Ply
- Fully Automatic, Child Safety Lock
- S.S 4 Beater
- Air Cooled Filter System
- Mirror Finished Front Door
- Sensor Technology
- Top & Bottom Platform are Steel
- Work Efficiently even at 180 Voltage
- Double Action Auto clean System
- Indoor LED Light
- Heavy Duty SS Jali Set



































- Heavy MS Chamber
- Power Saver German Technology Motor 1 HP
- ISI Certified Hard MDF Ply
- Fully Automatic
- S.S 4 Blade Beater
- Child Safety Lock
- Modular Finished Front Door
- Sensor Technology
- Work Efficiently Even At 180 Voltage
- Auto Clean System
- Direct Cloth System































AUTOMATIC

Input Hoper: 4.5 k.g. to 5.0 k.g. (Approx) **Grinding Capacity:** 12 to 15 k.g. (Aprrox) Size: 2HP - L-21" X H-33" X W-16"

- Aluminium Chamber with MS Cutter
- ISI German Tech. Motor 2HP
- ISI Certified Hard MDF Ply
- Fully Automatic, Child Safety Lock
- S.S 4 Beater
- Direct Cloth System
- Mirror Finished Front Door
- Sensor Technology
- Work Efficiently even at 180 Voltage



2 HP / 3 HP / 5 HP AUTOMATIC

Input Hoper: 2HP 5-7 k.g. / 3HP 7 k.g. / 5HP 12 k.g. (Approx) Weight: 2HP - 53k.g. / 3HP - 58k.g. / 5HP - 65k.g. (Approx) **Chamber Size :** 2HP - 10" x 4" / 3HP - 10" x 5" / 5HP - 12" x 6" Size: 2HP - L-21" X H-38" X W-13" / 3HP - L-24" X H-40" X W-14"

5HP - L-27" X H-48" X W-18"

GRINDING CAPACITY

2HP - 12 to 15k.g. / 3HP - 20 to 22k.g. / 5HP - 50 to 55k.g. (Approx)

2 HP / 3HP : Single Phase Motor 220/230 V 50 Hz. 2880 R.P.M. **5 HP:** Three Phase Motor 220 / 230 V 50 Hz. 3000 R.P.M.

Power Consumption: 2HP - 1.50 Unit/Hr. | 3HP - 2.50 Unit/Hr. (Approx)

- Aluminium Chamber with SS Cutter & SS Beater
- ISI German Tech. Motor 2HP
- Fully & Semi Automatic
- S.S 6 Beater
- Direct Cloth System
- Mirror Finished SS
- Sensor technology






















GUIDANCE







SPECIFICATION



STANDARD SPECIFICATION 1HP AUTOMATIC FLOUR MILL

Input Hopper: 4.5 to 5 k.g. (Approx)
Size: L: 20.5" | W: 15" | H: 32" (Approx)

(Without Castor Wheels)

Weight: 40 to 42 k.g. (Approx)

Power Consumption: 0.75 Unit/Hr. (Approx) **Electrical Motor:** 1HP Single Phase Motor

220/230 V 50 Hz. 2880 R.P.M

STANDARD SPECIFICATION EVERGREEN JUMBO 6.5 K.G. AUTOMATIC FLOUR MILL

Input Hopper : 6 to 6.5 k.g. (Approx)

Size: L: 20.5" | W: 15" | H: 36" (Approx)

(Without Castor Wheels)

Flour Container: 6 to 6.5 K.g. with Cotton Bag

Weight: 42 to 44 k.g. (Approx)

Power Consumption: 0.75 Unit/Hr. (Approx) **Electrical Motor:** 1HP Single Phase Motor

220/230 V 50 Hz. 2880 R.P.M

GRINDING CAPACITY PER HOUR (APPROX)



^{*}The Grinding Capacity is a Result of 1 HP Motor And Suject to The Types of Grains. It Might vary Slightly As Per Prevailing Conditions.*

Note: As a Continuing Policy of Product development of Sharp Aata Chakki, the design and Specification are subject to change without prior notice.